AMINA-Mix is a liquid fertilizer of micronutrients with amino acids. Due to its synthesis. AMINA-Mix is easily and quickly assimilated by the plants and therefore achieves the quick correction of the iron, zinc, manganese, copper, boron and molybdenum deficiencies. Furthermore it enhances the plant growth and increases the growth of new shoots, flowers and fruits.

PROPERTIES - USES

AMINA-Mix can be applied in all crops offering the following benefits:

- * Prevents and cures efficiently the micronutrient deficiencies.
- * Reduces yellowing and fall of leaves.
- * Reduces flower drop. * Stimulates plant growth.
- * Enhances plant vigour. * Provides integrated growth and increased productivity.

PRECAUTIONS Harmful if swallowed. Avoid contact with skin and eyes since it causes irritation and possible damage. Wash thoroughly every exposed body part with plenty of water and seek medical advice for the eyes. Use always personal protective equipment (mask,

protective clothing, gloves, safety goggles etc) during application. CAUTION

Reproductive

toxicity (cat. 1B)

Hazard Statements: H360FD: May damage fertility or the unborn child.

Precaution Statements:

P201: Obtain special instructions before use. P308+P313: IF exposed or concerned: Get medical advice/attention

Liquid Micronutrients Solution with Amino acids

AMINA-Mix

SYNTHESIS (% w/w) Iron (Fe-EDTA) 5.4 3.6 Zinc (Zn-EDTA) Manganese (Mn-EDTA) 2.3 Copper (Cu-EDTA) 1.0 Boron (Salt) 1.0 Molybdenum (Salt) 0.05

1.0



Snitable

for organic

crops

250cc

1 Ermou & Theotokopoulou str., 144 52 Metamorphosis Tel. +30 210 284 5891. Fax. +30 210 281 7971 E-mail: info@humofert.gr Web Site: www.humofert.gr

APPLICATIONS-APPLICATION RATE

AMINA-Mix is suitable for all crops. It is recommended for foliar sprays and fertigations at the following application rates (note: 1 cup equals 20 ml).

Foliar Application: 40-80 ml (2-4 cups) per 10 liters of water. Spray throughout the entire foliage to achieve good coverage.

Fertigation: 80-140 ml (4-7 cups) per 10 liters of water. Apply in the soil of the pot or in the soil around the shoot or the trunk in order the fertilizer to reach the roots

APPLICATION FREQUENCY - USE

Apply according to one of the above methods every 15 days from Spring till Autumn. Avoid foliar applications during severe weather phenomena (frost, heat, strong winds) or during impending rainfall. During summer foliar sprays should be conducted during morning or evening. In ornamental crops AMINA-Mix must be applied only in the root.

SHAKE WELL BEFORE USE COMPATIBILITY

It can be mixed with most fertilizers and pesticides. Before mixing with any other product, seek the advice of an agronomist.

STORAGE Store well sealed in its original container. Keep it in a dry place far from frost, high

temperatures and intense sun light. Keep out of reach of pets. KEEP OUT OF REACH OF CHILDREN

Natural properties (pH: 6.6-6.7 Conductivity: 21.5 mS/cm Salinity: 12.9 ppt)