

Compound solid inorganic macronutrient fertiliser

Inorganic NPK fertiliser with micro-nutrients

5 - 10 - 40

Nitrogen (N)

5,0 %

Nitrate N

3,0 %

Ammonium N

2,0 %

Phosphorus pentoxide (P₂O₅)
water soluble

10,0 %

Potassium oxide (K₂O)
water soluble

40,0 %

Boron (B) as sodium salt, water soluble

0,023 %

Copper (Cu) as sulphate, water soluble

0,007 %

Iron (Fe) as sulphate, water soluble

0,1 %

Manganese (Mn) as sulphate, water soluble

0,03 %

Zinc (Zn) as sulphate, water soluble

0,03 %

Also contains an organic agent 1,0%

Chloride free



Batch number:

Production date:

Ingredients: Potassium sulphate¹ (CAS No 7778-80-5), Potassium nitrate¹ (CAS No 7757-79-1), MAP¹ (CAS No 7722-76-1)

¹ Virgin material substances and mixtures

Application rates: It is suitable for all crops.

General application rates

Fertigation: 10-30 kg per hectare

Foliar spray: 4 kg per 1000 lt of water.

It is applied according to the abovementioned application rates every 10-15 days from Spring till Autumn.

To be used only where there is recognized need. Do not exceed the application rate.

Compatibility: It can be combined with most plant protection products, as well as with liquid and water-soluble fertilizers. In any case, a compatibility test is recommended before mixing in the tank.

Storage: Should be stored tightly sealed, in a dry place, away from frost and direct sunlight.

Granulometry: Powder. 90 % of the product passes through sieve of 1 mm.

Completely water-soluble.

Information on safety and environment: To avoid risks to human health and the environment, please comply with the recommended use instructions of this fertilising product.

The Material Data Sheet is available to the consumer through the website humofert.gr or upon request.

DANGER



Hazard Statements

H318: Causes serious eye damage.

Precautionary Statements

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate

Compound solid inorganic macronutrient fertiliser

Inorganic NPK (Mg) fertiliser with micro-nutrients

8 - 16 - 32 (+2)

Nitrogen (N)	8,0 %	Boron (B) as sodium salt, water soluble	0,023 %
Nitrate N	4,5 %	Copper (Cu) as sulphate, water soluble	0,007 %
Ammonium N	3,5 %	Iron (Fe) as sulphate, water soluble	0,1 %
Phosphorus pentoxide (P₂O₅)	16,0 %	Manganese (Mn) as sulphate, water soluble	0,03 %
water soluble		Zinc (Zn) as sulphate, water soluble	0,03 %
Potassium oxide (K₂O)	32,0 %		
water soluble			
Magnesium oxide (MgO)	2,0 %		
water soluble			

Also contains an organic agent 1,0%

Chloride free



5 212024 522610

Batch number:
Production date:

Ingredients: Potassium sulphate¹ (CAS No 7778-80-5), Potassium nitrate¹ (CAS No 7757-79-1), MAP¹ (CAS No 7722-76-1), Magnesium Sulfate anhydrous (MgSO₄)¹ (CAS No 7487-88-9)

¹Virgin material substances and mixtures

Application rates: It is suitable for all crops.

General application rates

Fertigation: 10-30 kg per hectare

Foliar spray: 4 kg per 1000 lt of water.

It is applied according to the abovementioned application rates every 10-15 days from Spring till Autumn.

To be used only where there is recognized need. Do not exceed the application rate.

Compatibility: It can be combined with most plant protection products, as well as with liquid and water-soluble fertilizers. In any case, a compatibility test is recommended before mixing in the tank.

Storage: Should be stored tightly sealed, in a dry place, away from frost and direct sunlight.

Granulometry: Powder. 90 % of the product passes through sieve of 1 mm.

Completely water-soluble.

Information on safety and environment: To avoid risks to human health and the environment, please comply with the recommended use instructions of this fertilising product.

The Material Data Sheet is available to the consumer through the website humofert.gr or upon request.

DANGER



Hazard Statements

H318: Causes serious eye damage.

Precautionary Statements

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate

Compound solid inorganic macronutrient fertiliser

Inorganic NPK (Mg) fertiliser with micro-nutrients

12 - 8 - 24 (+4)

Nitrogen (N)	12,0 %	Boron (B) as sodium salt, water soluble	0,023 %
Nitrate N	2,7 %	Copper (Cu) as sulphate, water soluble	0,007 %
Ammonium N	3,8 %	Iron (Fe) as sulphate, water soluble	0,1 %
Urea N	5,5 %	Manganese (Mn) as sulphate, water soluble	0,03 %
Phosphorus pentoxide (P₂O₅)	8,0 %	Zinc (Zn) as sulphate, water soluble	0,03 %
water soluble			
Potassium oxide (K₂O)	24,0 %		
water soluble			
Magnesium oxide (MgO)	4,0 %		
water soluble			

Also contains an organic agent 1,0%

Chloride free



5 212024 522603

Batch number:

Production date:

Ingredients: Potassium sulphate¹ (CAS No 7778-80-5), Potassium nitrate¹ (CAS No 7757-79-1), Urea¹ (CAS No 57-13-6), MAP¹ (CAS No 7722-76-1), Magnesium Sulfate anhydrous (MgSO₄)¹ (CAS No 7487-88-9), Ammonium sulphate¹ (CAS No 7783-20-2)

¹Virgin material substances and mixtures

Application rates: It is suitable for all crops.

General application rates

Fertigation: 10-30 kg per hectare

Foliar spray: 4 kg per 1000 lt of water.

It is applied according to the abovementioned application rates every 10-15 days from Spring till Autumn.

To be used only where there is recognized need. Do not exceed the application rate.

Compatibility: It can be combined with most plant protection products, as well as with liquid and water-soluble fertilizers. In any case, a compatibility test is recommended before mixing in the tank.

Storage: Should be stored tightly sealed, in a dry place, away from frost and direct sunlight.

Granulometry: Powder. 90 % of the product passes through sieve of 1 mm.

Completely water-soluble.

Information on safety and environment: To avoid risks to human health and the environment, please comply with the recommended use instructions of this fertilising product.

The Material Data Sheet is available to the consumer through the website humofert.gr or upon request.

This fertiliser contains urea, which can release ammonia and have an impact on air quality. Depending on local conditions, appropriate remediation measures must be taken.

DANGER



Hazard Statements

H318: Causes serious eye damage.

Precautionary Statements

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate

Compound solid inorganic macronutrient fertiliser

Inorganic NPK fertiliser with micro-nutrients

12 - 12 - 36

Nitrogen (N)	12,0 %	Boron (B) as sodium salt, water soluble	0,023 %
Nitrate N	9,6 %	Copper (Cu) as sulphate, water soluble	0,007 %
Ammonium N	2,4 %	Iron (Fe) as sulphate, water soluble	0,1 %
Phosphorus pentoxide (P₂O₅) water soluble	12,0 %	Manganese (Mn) as sulphate, water soluble	0,03 %
Potassium oxide (K₂O) water soluble	36,0 %	Zinc (Zn) as sulphate, water soluble	0,03 %

Also contains an organic agent 1,0%

Chloride free



5 212024 522597

Batch number:
Production date:

Ingredients: Potassium nitrate¹ (CAS No 7757-79-1), MAP¹ (CAS No 7722-76-1), Potassium sulphate¹ (CAS No 7778-80-5)

¹ Virgin material substances and mixtures

Application rates: It is suitable for all crops.

General application rates

Fertigation: 10-30 kg per hectare

Foliar spray: 4 kg per 1000 lt of water.

It is applied according to the abovementioned application rates every 10-15 days from Spring till Autumn.

To be used only where there is recognized need. Do not exceed the application rate.

Compatibility: It can be combined with most plant protection products, as well as with liquid and water-soluble fertilizers. In any case, a compatibility test is recommended before mixing in the tank.

Storage: Should be stored tightly sealed, in a dry place, away from frost and direct sunlight.

Granulometry: Powder. 90 % of the product passes through sieve of 1 mm.

Completely water-soluble.

Information on safety and environment: To avoid risks to human health and the environment, please comply with the recommended use instructions of this fertilising product.

The Material Data Sheet is available to the consumer through the website humofert.gr or upon request.

DANGER



Hazard statement(s):

H318: Causes serious eye damage.

H272: May intensify fire; oxidiser.

Precautionary statement(s):

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P221: Take any precaution to avoid mixing with combustibles...

P280: Wear protective gloves/protective clothing/eye protection/ face protection.

P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378: In case of fire: Use water (spray), dry powder, foam water spayers, carbon dioxide foam, dry powder for extinction.

P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulphate, Potassium nitrate

Compound solid inorganic macronutrient fertiliser

Inorganic NPK fertiliser with micro-nutrients

12 - 48 - 8

Nitrogen (N)	12,0 %	Boron (B) as sodium salt, water soluble	0,023 %
Nitrate N	2,5 %	Copper (Cu) as sulphate, water soluble	0,007 %
Ammonium N	9,5 %	Iron (Fe) as sulphate, water soluble	0,1 %
Phosphorus pentoxide (P₂O₅) water soluble	48,0 %	Manganese (Mn) as sulphate, water soluble	0,03 %
Potassium oxide (K₂O) water soluble	8,0 %	Zinc (Zn) as sulphate, water soluble	0,03 %

Also contains an organic agent 1,0%

Chloride free



5 212024 522559

Batch number:
Production date:

Ingredients: MAP¹ (CAS No 7722-76-1), Potassium nitrate¹ (CAS No 7757-79-1)

¹Virgin material substances and mixtures

Application rates: It is suitable for all crops.

General application rates

Fertigation: 10-30 kg per hectare

Foliar spray: 4 kg per 1000 lt of water.

It is applied according to the abovementioned application rates every 10-15 days from Spring till Autumn.

To be used only where there is recognized need. Do not exceed the application rate.

Compatibility: It can be combined with most plant protection products, as well as with liquid and water-soluble fertilizers. In any case, a compatibility test is recommended before mixing in the tank.

Storage: Should be stored tightly sealed, in a dry place, away from frost and direct sunlight.

Granulometry: Powder. 90 % of the product passes through sieve of 1 mm.

Completely water-soluble.

Information on safety and environment: To avoid risks to human health and the environment, please comply with the recommended use instructions of this fertilising product.

The Material Data Sheet is available to the consumer through the website humofert.gr or upon request.

Compound solid inorganic macronutrient fertiliser

Inorganic NPK fertiliser with micro-nutrients

15 - 5 - 35

Nitrogen (N)	15,0 %	Boron (B) as sodium salt, water soluble	0,023 %
Nitrate N	6,3 %	Copper (Cu) as sulphate, water soluble	0,007 %
Ammonium N	1,0 %	Iron (Fe) as sulphate, water soluble	0,1 %
Urea N	7,7 %	Manganese (Mn) as sulphate, water soluble	0,03 %
Phosphorus pentoxide (P₂O₅) water soluble	5,0 %	Zinc (Zn) as sulphate, water soluble	0,03 %
Potassium oxide (K₂O) water soluble	35,0 %		

Also contains an organic agent 1,0%

Chloride free



5 212024 522580

Batch number:
Production date:

Ingredients: Potassium nitrate¹ (CAS No 7757-79-1), Potassium sulphate¹ (CAS No 7778-80-5), Urea¹ (CAS No 57-13-6), MAP¹ (CAS No 7722-76-1)

¹ Virgin material substances and mixtures

Application rates: It is suitable for all crops.

General application rates

Fertigation: 10-30 kg per hectare

Foliar spray: 4 kg per 1000 lt of water.

It is applied according to the abovementioned application rates every 10-15 days from Spring till Autumn.

To be used only where there is recognized need. Do not exceed the application rate.

Compatibility: It can be combined with most plant protection products, as well as with liquid and water-soluble fertilizers. In any case, a compatibility test is recommended before mixing in the tank.

Storage: Should be stored tightly sealed, in a dry place, away from frost and direct sunlight.

Granulometry: Powder. 90 % of the product passes through sieve of 1 mm.

Completely water-soluble.

Information on safety and environment: To avoid risks to human health and the environment, please comply with the recommended use instructions of this fertilising product.

The Material Data Sheet is available to the consumer through the website humofert.gr or upon request.

This fertiliser contains urea, which can release ammonia and have an impact on air quality. Depending on local conditions, appropriate remediation measures must be taken.

DANGER



Hazard Statements

H318: Causes serious eye damage.

Precautionary Statements

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate

Compound solid inorganic macronutrient fertiliser

Inorganic NPK fertiliser with micro-nutrients

15 - 30 - 15

Nitrogen (N)	15,0 %	Boron (B) as sodium salt, water soluble	0,023 %
Nitrate N	3,1 %	Copper (Cu) as sulphate, water soluble	0,007 %
Ammonium N	7,3 %	Iron (Fe) as sulphate, water soluble	0,1 %
Urea N	4,6 %	Manganese (Mn) as sulphate, water soluble	0,03 %
Phosphorus pentoxide (P₂O₅) water soluble	30,0 %	Zinc (Zn) as sulphate, water soluble	0,03 %
Potassium oxide (K₂O) water soluble	15,0 %		

Also contains an organic agent 1,0%

Chloride free



5 212024 522542

Batch number:
Production date:

Ingredients: MAP¹ (CAS No 7722-76-1), Potassium nitrate¹ (CAS No 7757-79-1), Urea¹ (CAS No 57-13-6), Potassium sulphate¹ (CAS No 7778-80-5), Ammonium sulphate¹ (CAS No 7783-20-2)

¹Virgin material substances and mixtures

Application rates: It is suitable for all crops.

General application rates

Fertigation: 10-30 kg per hectare

Foliar spray: 4 kg per 1000 lt of water.

It is applied according to the abovementioned application rates every 10-15 days from Spring till Autumn.

To be used only where there is recognized need. Do not exceed the application rate.

Compatibility: It can be combined with most plant protection products, as well as with liquid and water-soluble fertilizers. In any case, a compatibility test is recommended before mixing in the tank.

Storage: Should be stored tightly sealed, in a dry place, away from frost and direct sunlight.

Granulometry: Powder. 90 % of the product passes through sieve of 1 mm.

Completely water-soluble.

Information on safety and environment: To avoid risks to human health and the environment, please comply with the recommended use instructions of this fertilising product.

The Material Data Sheet is available to the consumer through the website humofert.gr or upon request.

This fertiliser contains urea, which can release ammonia and have an impact on air quality. Depending on local conditions, appropriate remediation measures must be taken.

DANGER



Hazard Statements

H318: Causes serious eye damage.

Precautionary Statements

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate

Compound solid inorganic macronutrient fertiliser

Inorganic NPK fertiliser with micro-nutrients

18 - 9 - 27

Nitrogen (N)	18,0 %	Boron (B) as sodium salt, water soluble	0,023 %
Nitrate N	4,8 %	Copper (Cu) as sulphate, water soluble	0,007 %
Ammonium N	1,9 %	Iron (Fe) as sulphate, water soluble	0,1 %
Urea N	11,3 %	Manganese (Mn) as sulphate, water soluble	0,03 %
Phosphorus pentoxide (P₂O₅) water soluble	9,0 %	Zinc (Zn) as sulphate, water soluble	0,03 %
Potassium oxide (K₂O) water soluble	27,0 %		

Also contains an organic agent 1,0%

Chloride free



5 212024 522573

Batch number:
Production date:

Ingredients: Potassium nitrate¹ (CAS No 7757-79-1), Urea¹ (CAS No 57-13-6), Potassium sulphate¹ (CAS No 7778-80-5), MAP¹ (CAS No 7722-76-1)

¹Virgin material substances and mixtures

Application rates: It is suitable for all crops.

General application rates

Fertigation: 10-30 kg per hectare

Foliar spray: 4 kg per 1000 lt of water.

It is applied according to the abovementioned application rates every 10-15 days from Spring till Autumn.

To be used only where there is recognized need. Do not exceed the application rate.

Compatibility: It can be combined with most plant protection products, as well as with liquid and water-soluble fertilizers. In any case, a compatibility test is recommended before mixing in the tank.

Storage: Should be stored tightly sealed, in a dry place, away from frost and direct sunlight.

Granulometry: Powder. 90 % of the product passes through sieve of 1 mm.

Completely water-soluble.

Information on safety and environment: To avoid risks to human health and the environment, please comply with the recommended use instructions of this fertilising product.

The Material Data Sheet is available to the consumer through the website humofert.gr or upon request.

This fertiliser contains urea, which can release ammonia and have an impact on air quality. Depending on local conditions, appropriate remediation measures must be taken.

DANGER



Hazard Statements

H318: Causes serious eye damage.

Precautionary Statements

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate

Compound solid inorganic macronutrient fertiliser

Inorganic NPK fertiliser with micro-nutrients

18 - 18 - 18

Nitrogen (N)	18,0 %	Boron (B) as sodium salt, water soluble	0,023 %
Nitrate N	4,1 %	Copper (Cu) as sulphate, water soluble	0,007 %
Ammonium N	6,1 %	Iron (Fe) as sulphate, water soluble	0,1 %
Urea N	7,8 %	Manganese (Mn) as sulphate, water soluble	0,03 %
Phosphorus pentoxide (P₂O₅) water soluble	18,0 %	Zinc (Zn) as sulphate, water soluble	0,03 %
Potassium oxide (K₂O) water soluble	18,0 %		

Also contains an organic agent 1,0%

Chloride free



5 212024 522528

Batch number:
Production date:

Ingredients: Potassium nitrate¹ (CAS No 7757-79-1), MAP¹ (CAS No 7722-76-1), Urea¹ (CAS No 57-13-6), Ammonium sulphate¹ (CAS No 7783-20-2), Potassium sulphate¹ (CAS No 7778-80-5)

¹Virgin material substances and mixtures

Application rates: It is suitable for all crops.

General application rates

Fertigation: 10-30 kg per hectare

Foliar spray: 4 kg per 1000 lt of water.

It is applied according to the abovementioned application rates every 10-15 days from Spring till Autumn.

To be used only where there is recognized need. Do not exceed the application rate.

Compatibility: It can be combined with most plant protection products, as well as with liquid and water-soluble fertilizers. In any case, a compatibility test is recommended before mixing in the tank.

Storage: Should be stored tightly sealed, in a dry place, away from frost and direct sunlight.

Granulometry: Powder. 90 % of the product passes through sieve of 1 mm.

Completely water-soluble.

Information on safety and environment: To avoid risks to human health and the environment, please comply with the recommended use instructions of this fertilising product.

The Material Data Sheet is available to the consumer through the website humofert.gr or upon request.

This fertiliser contains urea, which can release ammonia and have an impact on air quality. Depending on local conditions, appropriate remediation measures must be taken.

DANGER



Hazard Statements

H318: Causes serious eye damage.

Precautionary Statements

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate

Compound solid inorganic macronutrient fertiliser

Inorganic NPK fertiliser with micro-nutrients

20 - 5 - 30

Nitrogen (N)	20,0 %	Boron (B) as sodium salt, water soluble	0,023 %
Nitrate N	6,5 %	Copper (Cu) as sulphate, water soluble	0,007 %
Ammonium N	1,0 %	Iron (Fe) as sulphate, water soluble	0,1 %
Urea N	12,5 %	Manganese (Mn) as sulphate, water soluble	0,03 %
Phosphorus pentoxide (P₂O₅) water soluble	5,0 %	Zinc (Zn) as sulphate, water soluble	0,03 %
Potassium oxide (K₂O) water soluble	30,0 %		

Also contains an organic agent 1,0%

Chloride free



5 212024 522566

Batch number:
Production date:

Ingredients: Potassium nitrate¹ (CAS No 7757-79-1), Urea¹ (CAS No 57-13-6), Potassium sulphate¹ (CAS No 7778-80-5), MAP¹ (CAS No 7722-76-1)

¹Virgin material substances and mixtures

Application rates: It is suitable for all crops.

General application rates

Fertigation: 10-30 kg per hectare

Foliar spray: 4 kg per 1000 lt of water.

It is applied according to the abovementioned application rates every 10-15 days from Spring till Autumn.

To be used only where there is recognized need. Do not exceed the application rate.

Compatibility: It can be combined with most plant protection products, as well as with liquid and water-soluble fertilizers. In any case, a compatibility test is recommended before mixing in the tank.

Storage: Should be stored tightly sealed, in a dry place, away from frost and direct sunlight.

Granulometry: Powder. 90 % of the product passes through sieve of 1 mm.

Completely water-soluble.

Information on safety and environment: To avoid risks to human health and the environment, please comply with the recommended use instructions of this fertilising product.

The Material Data Sheet is available to the consumer through the website humofert.gr or upon request.

This fertiliser contains urea, which can release ammonia and have an impact on air quality. Depending on local conditions, appropriate remediation measures must be taken.

DANGER



Hazard Statements

H318: Causes serious eye damage.

Precautionary Statements

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate

Compound solid inorganic macronutrient fertiliser

Inorganic NPK fertiliser with micro-nutrients

20 - 20 - 20

Nitrogen (N)	20,0 %	Boron (B) as sodium salt, water soluble	0,023 %
Nitrate N	4,3 %	Copper (Cu) as sulphate, water soluble	0,007 %
Ammonium N	3,6 %	Iron (Fe) as sulphate, water soluble	0,1 %
Urea N	12,1 %	Manganese (Mn) as sulphate, water soluble	0,03 %
Phosphorus pentoxide (P₂O₅) water soluble	20,0 %	Zinc (Zn) as sulphate, water soluble	0,03 %
Potassium oxide (K₂O) water soluble	20,0 %		

Also contains an organic agent 1,0%

Chloride free



5 212024 522511

Batch number:
Production date:

Ingredients: Potassium nitrate¹ (CAS No 7757-79-1), MAP¹ (CAS No 7722-76-1), Urea¹ (CAS No 57-13-6), Potassium sulphate¹ (CAS No 7778-80-5)
¹Virgin material substances and mixtures

Application rates: It is suitable for all crops.

General application rates

Fertigation: 10-30 kg per hectare

Foliar spray: 4 kg per 1000 lt of water.

It is applied according to the abovementioned application rates every 10-15 days from Spring till Autumn.

To be used only where there is recognized need. Do not exceed the application rate.

Compatibility: It can be combined with most plant protection products, as well as with liquid and water-soluble fertilizers. In any case, a compatibility test is recommended before mixing in the tank.

Storage: Should be stored tightly sealed, in a dry place, away from frost and direct sunlight.

Granulometry: Powder. 90 % of the product passes through sieve of 1 mm.

Completely water-soluble.

Information on safety and environment: To avoid risks to human health and the environment, please comply with the recommended use instructions of this fertilising product. The Material Data Sheet is available to the consumer through the website humofert.gr or upon request. This fertiliser contains urea, which can release ammonia and have an impact on air quality. Depending on local conditions, appropriate remediation measures must be taken.

DANGER



Hazard Statements

H318: Causes serious eye damage.

Precautionary Statements

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate

Compound solid inorganic macronutrient fertiliser

Inorganic NPK fertiliser with micro-nutrients

30 - 10 - 10

Nitrogen (N)	30,0 %	Boron (B) as sodium salt, water soluble	0,023 %
Nitrate N	2,5 %	Copper (Cu) as sulphate, water soluble	0,007 %
Ammonium N	3,4 %	Iron (Fe) as sulphate, water soluble	0,1 %
Urea N	24,1 %	Manganese (Mn) as sulphate, water soluble	0,03 %
Phosphorus pentoxide (P₂O₅) water soluble	10,0 %	Zinc (Zn) as sulphate, water soluble	0,03 %
Potassium oxide (K₂O) water soluble	10,0 %		

Also contains an organic agent 1,0%

Chloride free



5 212024 522535

Batch number:
Production date:

Ingredients: Urea¹ (CAS No 57-13-6), Potassium nitrate¹ (CAS No 7757-79-1), MAP¹ (CAS No 7722-76-1), Ammonium sulphate¹ (CAS No 7783-20-2)
¹Virgin material substances and mixtures

Application rates: It is suitable for all crops.

General application rates

Fertigation: 10-30 kg per hectare

Foliar spray: 4 kg per 1000 lt of water.

It is applied according to the abovementioned application rates every 10-15 days from Spring till Autumn.

To be used only where there is recognized need. Do not exceed the application rate.

Compatibility: It can be combined with most plant protection products, as well as with liquid and water-soluble fertilizers. In any case, a compatibility test is recommended before mixing in the tank.

Storage: Should be stored tightly sealed, in a dry place, away from frost and direct sunlight.

Granulometry: Powder. 90 % of the product passes through sieve of 1 mm.

Completely water-soluble.

Information on safety and environment: To avoid risks to human health and the environment, please comply with the recommended use instructions of this fertilising product.

The Material Data Sheet is available to the consumer through the website humofert.gr or upon request.

This fertiliser contains urea, which can release ammonia and have an impact on air quality. Depending on local conditions, appropriate remediation measures must be taken.

DANGER



Hazard Statements

H318: Causes serious eye damage.

Precautionary Statements

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate