# 20-20-20 plus



Batch number.: Production date:

Iron	(Fe EDTA)	1000 ppm
Manganese	(Mn EDTA)	500 ppm
Zinc	(Zn EDTA)	500 ppm
Copper	(Cu EDTA)	500 ppm
Boron	(B soluble)	200 ppm
Molybdenum	(Mo soluble)	20 ppm
Seaweed extr.	(Ascophyllum nodo	sum) <b>1,00</b> %
Aminoacids		2,00 %

**Method of application:** Suitable for all crops.

General Dosages:

Fertigation: 10-30 kg per acre

Foliar spray: 4 kg per 1 tn of water.

Compatibility: Can be combined with most pesticides, as well as with liquid and water-soluble fertilizers. In any case a compatibility test is recommended before mixing in the tank.

**Storage:** It should be stored tightly closed, in a dry place, away from frost and sunlight.

### Completely water-soluble:

pH: 6.3 Electrical conductivity: 7.4 mS/cm Salinity: 5 ppt

# 19-19-19 plus



Batch number.: Production date:

19.0 %

Iron (Fe EDTA) 1000 ppm Manganese (Mn EDTA) 500 ppm Zinc (Zn EDTA) 500 ppm Copper (Cu EDTA) 500 ppm **Boron** (B soluble) 200 ppm Molybdenum (Mo soluble) 20 ppm Seaweed extr. (Ascophyllum nodosum) 1,00 % **Aminoacids** 2,00 %



H318: Causes serious eye damage

### **Precautionary Statements:**

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338: In case of contact with eyes:

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate.

**Method of application:** Suitable for all crops. General Dosages: Fertigation: 10-30 kg per hectare, Foliar spray: 4 kg per 1tn of water.

**Compatibility:** Can be combined with most pesticides, as well as with liquid and water-soluble fertilizers. In any case a compatibility test is recommended before mixing in the tank.

**Storage:** It should be stored tightly closed, in a dry place, away from frost and sunlight.

Completely water-soluble: pH: 6.6 Electrical conductivity: 8.9 mS / cm Salinity: 5.9 ppt

# 18-18-18 plus

 Nitrogen (N)
 18,0 %

 Nitrate N
 3,9 %

 Ammonium N
 6,4 %

 Urea N
 7,4 %

 Organic N
 0,3 %

 Phosphorus ( $P_2O_5$ )
 18,0 %

 Potassium (K.O)
 18,0 %



Batch number.: Production date:

Iron (Fe EDTA) 1000 ppm Manganese (Mn EDTA) 500 ppm Zinc (Zn EDTA) 500 ppm Copper (Cu EDTA) 500 ppm **Boron** (B soluble) 200 ppm Molybdenum (Mo soluble) 20 ppm Seaweed extr. (Ascophyllum nodosum) 1,00 % **Aminoacids** 2,00 %



H318: Causes serious eye damage

Precautionary Statements:

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338: In case of contact with eyes:

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate.

**Method of application:** Suitable for all crops. General Dosages: Fertigation: 10-30 kg per hectare, Foliar spray: 4 kg per 1tn of water.

**Compatibility:** Can be combined with most pesticides, as well as with liquid and water-soluble fertilizers. In any case a compatibility test is recommended before mixing in the tank.

**Storage:** It should be stored tightly closed, in a dry place, away from frost and sunlight.

Completely water-soluble:pH: 4.7 Electrical conductivity: 8.9 mS / cm Salinity: 6.2 ppt

## 30-10-10 plus

 Nitrogen (N)
 30,0 %

 Nitrate N
 3,0 %

 Ammonium N
 3,3 %

 Urea N
 23,4 %

 Organic N
 0,3 %

 Phosphorus (P2O5)
 10,0 %

Potassium (K<sub>2</sub>O)

Batch number.: Production date:

10,0 %

Iron	(Fe EDTA)	1000 ppm
Manganese	(Mn EDTA)	500 ppm
Zinc	(Zn EDTA)	500 ppm
Copper	(Cu EDTA)	500 ppm
Boron	(B soluble)	200 ppm
Molybdenum	(Mo soluble)	20 ppm
Seaweed extr.	(Ascophyllum nodo	sum) 1,00 %
Aminoacids		2,00 %

**Method of application:** Suitable for all crops.

General Dosages:

Fertigation: 10-30 kg per acre

Foliar spray: 4 kg per 1 tn of water.

**Compatibility:** Can be combined with most pesticides, as well as with liquid and water-soluble fertilizers. In any case a compatibility test is recommended before mixing in the tank.

**Storage:** It should be stored tightly closed, in a dry place, away from frost and sunlight.

Completely water-soluble: pH: 7.7 Electrical conductivity: 7.4 mS/cm Salinity: 5 ppt

# 28-14-14 plus

 $\begin{array}{cccc} \mbox{Nitrogen (N)} & 28,0 \% \\ \mbox{Nitrate N} & 3,5 \% \\ \mbox{Ammonium N} & 2,1 \% \\ \mbox{Urea N} & 22,1 \% \\ \mbox{Organic N} & 0,3 \% \\ \mbox{Phosphorus } (\mbox{P}_2\mbox{O}_5) & 14,0 \% \end{array}$ 

Potassium (K<sub>2</sub>O)

Batch number.: Production date:

14.0 %

Iron (Fe EDTA) 1000 ppm Manganese (Mn EDTA) 500 ppm Zinc (Zn EDTA) 500 ppm Copper (Cu EDTA) 500 ppm Boron (B soluble) 200 ppm Molybdenum (Mo soluble) 20 ppm Seaweed extr. (Ascophyllum nodosum) 1,00 % **Aminoacids** 2,00 %

**Method of application:** Suitable for all crops.

General Dosages:

Fertigation: 10-30 kg per acre Foliar spray: 4 kg per 1 tn of water.

**Compatibility:** Can be combined with most pesticides, as well as with liquid and water-soluble fertilizers. In any case a compatibility test is recommended before mixing in the tank.

**Storage:** It should be stored tightly closed, in a dry place, away from frost and sunlight.

Completely water-soluble: pH: 6.4 Electrical conductivity: 4.8 mS/cm Salinity: 3.2 ppt

# 10-50-10 plus



Batch number.: Production date:

Iron	(Fe EDTA)	1000 ppm
Manganese	(Mn EDTA)	500 ppm
Zinc	(Zn EDTA)	500 ppm
Copper	(Cu EDTA)	500 ppm
Boron	(B soluble)	200 ppm
Molybdenum	(Mo soluble)	20 ppm
Seaweed extr.	(Ascophyllum nodo	sum) 1,00 %
Aminoacids		2,00 %

**Method of application:** Suitable for all crops.

General Dosages:

Fertigation: 10-30 kg per acre Foliar spray: 4 kg per 1 tn of water.

**Compatibility:** Can be combined with most pesticides, as well as with liquid and water-soluble fertilizers. In any case a compatibility test is recommended before mixing in the tank.

**Storage:** It should be stored tightly closed, in a dry place, away from frost and sunlight.

Completely water-soluble: pH: 4, Electrical conductivity: 8.9 mS/cm Salinity: 6.1 ppt

# 15-30-15 plus



Batch number.: Production date:

Iron (Fe EDTA) 1000 ppm Manganese (Mn EDTA) 500 ppm Zinc (Zn EDTA) 500 ppm Copper (Cu EDTA) 500 ppm **Boron** (B soluble) 200 ppm Molybdenum (Mo soluble) 20 ppm Seaweed extr. (Ascophyllum nodosum) 1,00 % **Aminoacids** 2,00 %

**Method of application:** Suitable for all crops.

General Dosages:

Fertigation: 10-30 kg per acre Foliar spray: 4 kg per 1 tn of water.

**Compatibility:** Can be combined with most pesticides, as well as with liquid and water-soluble fertilizers. In any case a compatibility test is recommended before mixing in the tank.

**Storage:** It should be stored tightly closed, in a dry place, away from frost and sunlight.

Completely water-soluble: pH: 6.1 Electrical conductivity: 11.5 mS / cm Salinity: 8.1 ppt

## 22-9-22 plus

Nitrogen (N)	22,0 %
Nitrate N	5,8 %
Ammonium N	3,5 %
Urea N	12,4 %
Organic N	0,3 %
Phosphorus (P <sub>2</sub> O <sub>5</sub> )	9,0 %
Potassium (K₂O)	22,0 %

5 21202/ 500888

Batch number.: Production date:

Iron	(Fe EDTA)	1000 ppm
Manganese	(Mn EDTA)	500 ppm
Zinc	(Zn EDTA)	500 ppm
Copper	(Cu EDTA)	500 ppm
Boron	(B soluble)	200 ppm
Molybdenum	(Mo soluble)	20 ppm
Seaweed extr.	(Ascophyllum nodo	sum) 1,00 %
Aminoacids		2,00 %



H318: Causes serious eye damage

### **Precautionary Statements:**

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338: In case of contact with eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate.

**Method of application:** Suitable for all crops. General Dosages: Fertigation: 10-30 kg per hectare, Foliar spray: 4 kg per 1tn of water.

**Compatibility:** Can be combined with most pesticides, as well as with liquid and water-soluble fertilizers. In any case a compatibility test is recommended before mixing in the tank.

**Storage:** It should be stored tightly closed, in a dry place, away from frost and sunlight.

Completely water-soluble: pH: 7 Electrical conductivity: 10.2 mS / cm Salinity: 7.2 ppt

## 20-5-30 plus

Nitrogen (N)	20,0 %
Nitrate N	6,5 %
Ammonium N	0,8 %
Urea N	12,4 %
Organic N	0,3 %
Phosphorus (P <sub>2</sub> O <sub>5</sub> )	5,0 %
Potassium (K <sub>2</sub> O)	30,0 %



Batch number.: Production date:

Iron	(Fe EDTA)	1000 ppm
Manganese	(Mn EDTA)	500 ppm
Zinc	(Zn EDTA)	500 ppm
Copper	(Cu EDTA)	500 ppm
Boron	(B soluble)	200 ppm
Molybdenum	(Mo soluble)	20 ppm
Seaweed extr.	(Ascophyllum nodo	sum) 1,00 %
Aminoacids		2,00 %



H318: Causes serious eye damage

### **Precautionary Statements:**

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338: In case of contact with eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate.

**Method of application:** Suitable for all crops. General Dosages: Fertigation: 10-30 kg per hectare, Foliar spray: 4 kg per 1tn of water.

**Compatibility:** Can be combined with most pesticides, as well as with liquid and water-soluble fertilizers. In any case a compatibility test is recommended before mixing in the tank.

**Storage:** It should be stored tightly closed, in a dry place, away from frost and sunlight.

Completely water-soluble: pH: 5.5 Electrical conductivity: 10.9 mS / cm Salinity: 7.6 ppt

## 18-3-35+0.5MgO plus

Nitrogen (N)	18,0 %
Nitrate N	9,2 %
Ammonium N	8,5 %
Organic N	0,3 %
Phosphorus (P <sub>2</sub> O <sub>5</sub> )	3,0 %
Potassium (K <sub>2</sub> O)	35,0 %
Magnesium (MgO)	0,5 %

B. 212024"509352" Pi

Batch number.: Production date:

Iron (Fe EDTA) 1000 ppm Manganese (Mn EDTA) 500 ppm Zinc (Zn EDTA) 500 ppm Copper (Cu EDTA) 500 ppm Boron (B soluble) 200 ppm Molybdenum (Mo soluble) 20 ppm Seaweed extr. (Ascophyllum nodosum) 1,00 % 2,00 % **Aminoacids** 

### 15-10-30+2MgO plus

Nitrogen (N)	15,0 %
Nitrate N	7,4 %
Ammonium N	1,9 %
Urea N	5,4 %
Organic N	0,3 %
Phosphorus (P <sub>2</sub> O <sub>5</sub> )	10,0 %
Potassium (K₂O)	30,0 %
Magnesium (MgO)	2,0 %

Batch number.: Production date:

Iron (Fe EDTA) 1000 ppm Manganese (Mn EDTA) 500 ppm Zinc (Zn EDTA) 500 ppm Copper (Cu EDTA) 500 ppm Boron (B soluble) 200 ppm Molybdenum (Mo soluble) 20 ppm Seaweed extr. (Ascophyllum nodosum) 1,00 % **Aminoacids** 2,00 %

# 12-8-24+4MgO plus

Nitrogen (N)	12,0 %
Nitrate N	5,8 %
Ammonium N	5,9 %
Organic N	0,3 %
Phosphorus (P <sub>2</sub> O <sub>5</sub> )	8,0 %
Potassium (K <sub>2</sub> O)	24,0 %
Magnesium (MgO)	4,0 %

Batch n

Batch number.: Production date:

Iron	(Fe EDTA)	1000 ppm
Manganese	(Mn EDTA)	500 ppm
Zinc	(Zn EDTA)	500 ppm
Copper	(Cu EDTA)	500 ppm
Boron	(B soluble)	200 ppm
Molybdenum	(Mo soluble)	20 ppm
Seaweed extr.	(Ascophyllum nodo	sum) 1,00 %
Aminoacids		2,00 %



H318: Causes serious eye damage

### **Precautionary Statements:**

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338: In case of contact with eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310: mmediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate.

**Method of application:** Suitable for all crops. General Dosages: Fertigation: 10-30 kg per hectare, Foliar spray: 4 kg per 1tn of water.

**Compatibility:** Can be combined with most pesticides, as well as with liquid and water-soluble fertilizers. In any case a compatibility test is recommended before mixing in the tank.

**Storage:** It should be stored tightly closed, in a dry place, away from frost and sunlight.

Completely water-soluble: pH: 5.6 Electrical conductivity: 12 mS / cm Salinity: 8.4 ppt

# 12-0-38+4MgO plus

Nitrogen (N)	12,0 %
Nitrate N	11,1 %
Ammonium N	0,6 %
Organic N	0,3 %
Potassium (K <sub>2</sub> O)	38,0 %
Magnesium (MgO)	4,0 %



Batch number.: Production date:

Iron	(Fe EDTA)	1000 ppm
Manganese	(Mn EDTA)	500 ppm
Zinc	(Zn EDTA)	500 ppm
Copper	(Cu EDTA)	500 ppm
Boron	(B soluble)	200 ppm
Molybdenum	(Mo soluble)	20 ppm
Seaweed extr.	(Ascophyllum nodo	sum) 1,00 %
Aminoacids		2,00 %



Hazard Statements: H272: May intensify fire; oxidizer

**Precautionary Statements:** P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P221: Take any precaution to avoid mixing with combustibles

P280: Wear protective gloves/protective clothing/eye protection/face protection

**Precaution - Response Statements:** P370 + P378: In case of fire: Use water (spray), dry powder, water spray nozzles, carbon dioxide foam, dry powder for extinction

Contains: Potassium Nitrate.

**Method of application:** Suitable for all crops. General Dosages: Fertigation: 10-30 kg per hectare, Foliar spray: 4 kg per 1tn of water.

**Compatibility:** Can be combined with most pesticides, as well as with liquid and water-soluble fertilizers. In any case a compatibility test is recommended before mixing in the tank.

**Storage:** It should be stored tightly closed, in a dry place, away from frost and sunlight.

Completely water-soluble: pH: 7 Electrical conductivity: 12.5 mS / cm Salinity: 8.7

# 12-12-36 plus

 Nitrogen (N)
 12,0 %

 Nitrate N
 7,0 %

 Ammonium N
 1,4 %

 Urea N
 3,3 %

 Organic N
 0,3 %

 Phosphorus ( $P_2O_5$ )
 12,0 %

 Potassium ( $K_2O$ )
 36,0 %



Batch number.: Production date:

Iron	(Fe EDTA)	1000 ppm
Manganese	(Mn EDTA)	500 ppm
Zinc	(Zn EDTA)	500 ppm
Copper	(Cu EDTA)	500 ppm
Boron	(B soluble)	200 ppm
Molybdenum	(Mo soluble)	20 ppm
Seaweed extr.	(Ascophyllum nodo	sum) <b>1,00</b> %
Aminoacids		2,00 %



H318: Causes serious eye damage

### **Precautionary Statements:**

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338: In case of contact with eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate.

**Method of application:** Suitable for all crops. General Dosages: Fertigation: 10-30 kg per hectare, Foliar spray: 4 kg per 1tn of water.

**Compatibility:** Can be combined with most pesticides, as well as with liquid and water-soluble fertilizers. In any case a compatibility test is recommended before mixing in the tank.

**Storage:** It should be stored tightly closed, in a dry place, away from frost and sunlight.

Completely water-soluble: pH: 3.5 Electrical conductivity: 11.2 mS / cm Salinity: 5.8 ppt

# 10-20-30 plus

 Nitrogen (N)
 10,0 %

 Nitrate N
 5,8 %

 Ammonium N
 3,9 %

 Organic N
 0,3 %


 Phosphorus ( $P_2O_5$ )
 20,0 %

 Potassium ( $K_2O$ )
 30,0 %



Batch number.: Production date:

Iron (Fe EDTA) 1000 ppm (Mn EDTA) 500 ppm Manganese Zinc (Zn EDTA) 500 ppm Copper (Cu EDTA) 500 ppm Boron (B soluble) 200 ppm Molybdenum (Mo soluble) 20 ppm Seaweed extr. (Ascophyllum nodosum) 1,00 % **Aminoacids** 2,00 %



H318: Causes serious eye damage

### **Precautionary Statements:**

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338: In case of contact with eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate.

**Method of application:** Suitable for all crops. General Dosages: Fertigation: 10-30 kg per hectare, Foliar spray: 4 kg per 1tn of water.

**Compatibility:** Can be combined with most pesticides, as well as with liquid and water-soluble fertilizers. In any case a compatibility test is recommended before mixing in the tank.

**Storage:** It should be stored tightly closed, in a dry place, away from frost and sunlight.

Completely water-soluble: pH: 3.8 Electrical conductivity: 0.9 mS / cm Salinity: 7.8 ppt

# 6-12-36+2MgO plus

Nitrogen (N)	6,0 %
Nitrate N	4,1 %
Ammonium N	1,6 %
Organic N	0,3 %
Phosphorus (P <sub>2</sub> O <sub>5</sub> )	12,0 %
Potassium (K₂O)	36,0 %
Magnesium (MgO)	2,0 %

5 ||212024||509314|

Batch number.: Production date:

Iron	(Fe EDTA)	1000 ppm
Manganese	(Mn EDTA)	500 ppm
Zinc	(Zn EDTA)	500 ppm
Copper	(Cu EDTA)	500 ppm
Boron	(B soluble)	200 ppm
Molybdenum	(Mo soluble)	20 ppm
Seaweed extr.	(Ascophyllum nodo	sum) <b>1,00</b> %
Aminoacids		2,00 %



H318: Causes serious eye damage

### **Precautionary Statements:**

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338: In case of contact with eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate.

**Method of application:** Suitable for all crops. General Dosages: Fertigation: 10-30 kg per hectare, Foliar spray: 4 kg per 1tn of water.

**Compatibility:** Can be combined with most pesticides, as well as with liquid and water-soluble fertilizers. In any case a compatibility test is recommended before mixing in the tank.

**Storage:** It should be stored tightly closed, in a dry place, away from frost and sunlight.

Completely water-soluble. pH: 3.5 Electrical conductivity: 10.8 mS / cm Salinity: 7.5 ppt

### 15-7-22+10CaO plus

Iron

Nitrogen (N)	15,0 %
Nitrate N	9,9 %
Ammonium N	1,3 %
Urea N	3,5 %
Organic N	0,3 %
Phosphorus (P <sub>2</sub> O <sub>5</sub> )	7,0 %
Potassium (K <sub>2</sub> O)	22,0 %
Calcium (MgO)	10,0 %

Manganese (Mn EDTA) 500 ppm Zinc (Zn EDTA) 500 ppm Copper (Cu EDTA) 500 ppm Boron (B soluble) 200 ppm Molybdenum (Mo soluble) 20 ppm Seaweed extr. (Ascophyllum nodosum) 1,00 % **Aminoacids** 2,00 %

(Fe EDTA)

Batch number.: Production date:

Chloride free

1000 ppm

### **DANGER**



#### Hazard statements:

H302: Harmful if swallowed

H318: Causes serious eye damage

#### Precautionary statements:

P264: Wash ... thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/

face protection.

P305+P351+P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P310: Call a POISON CENTER or doctor/physician if you feel

unwell.

P501: Dispose of contents/container to  $\dots$  in accordance with local/regional/national/ international regulation (to be specified).

Contains: Nitric Acid, Ammonium Calcium Salt, Potassium sulfate

**Method of application:** Suitable for all crops. General Dosages: Fertigation: 10-30 kg per hectare, Foliar spray: 4 kg per 1tn of water.

**Compatibility:** Can be combined with most pesticides, as well as with liquid and water-soluble fertilizers. In any case a compatibility test is recommended before mixing in the tank.

**Storage:** It should be stored tightly closed, in a dry place, away from frost and sunlight.

Completely water-soluble. pH: 5.0-6.1

# 6-12-44+2MgO plus

Nitrogen (N)	6.0 %
Nitrate N	5.7 %
Organic N	0.3 %
Phosphorus (P <sub>2</sub> O <sub>5</sub> )	12.0 %
Potassium (K <sub>2</sub> O)	44.0 %
Magnesium (MgO)	2.0 %

5"212024"510259

Batch number.: Production date:

Iron	(Fe EDTA)	1000 ppm
Manganese	(Mn EDTA)	500 ppm
Zinc	(Zn EDTA)	500 ppm
Copper	(Cu EDTA)	500 ppm
Boron	(B soluble)	200 ppm
Molybdenum	(Mo soluble)	20 ppm
Seaweed extr.	(Ascophyllum nodo	sum) 1,00 %
Aminoacids		2,00 %



H318: Causes serious eye damage

### **Precautionary Statements:**

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338: In case of contact with eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium sulfate.

**Method of application:** Suitable for all crops. General Dosages: Fertigation: 10-30 kg per hectare, Foliar spray: 4 kg per 1tn of water.

**Compatibility:** Can be combined with most pesticides, as well as with liquid and water-soluble fertilizers. In any case a compatibility test is recommended before mixing in the tank.

**Storage:** It should be stored tightly closed, in a dry place, away from frost and sunlight.

Completely water-soluble. pH: 3.5 Electrical conductivity: 10.8 mS / cm Salinity: 7.5 ppt